



eShare W80

**The Best Alternative for
Barco ClickShare in
Wireless Conferencing**

eShare W80 4K Wireless Conferencing System

All-in-one, plug-n-play and budget-friendly solution for wireless presentation, collaboration & conferencing. No matter huddle, medium or large room, elevate your hybrid meeting experience to the next level!



One-Click Wireless Conferencing

Just pick up the eShare D20 USB-C dongle on the table, plug it into your laptop, and click the button to share. You can also control the USB conference devices wirelessly with the dongle! No cable hassles, no software needed, no training required.

Dual HDMI Inputs/Outputs

Connect it easily to your room PC/laptop, and view 2 monitor screens effortlessly. Also supports the innovative multiview function (dual-view mode), displaying 2 sources on the same screen, ideal for comparing different schemes.

Truly Plug-n-Play Solution

No software or driver is required for both eShare W80 and the dongle, user-friendly to both your colleagues and guests. It prevents the potential entry points for viruses, spyware, and other external threats.

Budget-Friendly, Like Never Before

The original price of eShare W80 plus 2x eShare D20 dongles (\$1617) is about half the price of Barco ClickShare CX-50 (\$2950). Besides, we stick to the principle of mutual benefits, so we can offer a huge discount for our partners.

Wired or Wireless, up to You

Share contents readily from your PC to a larger screen via an HDMI cable, or cast screen wirelessly with AirPlay, Miracast or the dongle. Just bring your laptop, smartphone or tablet and ready to present.

Powerful 3-in-1 USB 3.0 Hub

Works flawlessly with AV Access BizEye series webcams, AnyCo series speakerphones/video bars, and touch-screen panel. Also compatible with other brands' conference devices, like Logitech, Jabra, Poly, etc.



eShare D20

4K USB-C Casting Dongle

A magic gadget with casting/conferencing buttons, and smart LED indicators. Share your contents and control USB devices, all wirelessly!

4K

Wireless Casting in 4K UHD Image

With just a click of the casting button, it allows you to share your laptop screen wirelessly with up to 4K@30Hz resolution. No cable hassles, no software needed, no training required!



Wireless Control of USB Devices

Control your camera, speakerphone, or other USB 3.0 conferencing device wirelessly! Plug it in, click the other "wireless conference" button and start your video conference in no time.



2 Smart LED Status Indicators

With eShare D20, wireless casting and conferencing is a total breeze! The LED indicators can light up in different colors, like blue and green, to let you know its working status.



Auto and Quick Pairing

Plug it into eShare W80 via the front panel's USB-C port, and they can get paired automatically. It just takes you a few seconds!



Universal Compatibility

Compatible with Windows 7/10/11, Mac OS, and Android OS. Just bring your own laptop, smartphone or tablet, and share your screen easily.



Mini Size, Great Performance


Ultra compact design, as small as a palm. Place it on the table, put it into tool kit, or install it anywhere in your meeting room.

Application Diagram

Medium Room

- ① Video bar AnyCo V8
- ② eShare W80 Hybrid Conference System
(Installed Under the Table)
- ③ AnyCo M1 Speakerphone
- ④ eShare D20 USB-C Dongle

— HDMI — USB-A — USB-C
 ----- Under The Table Or Behind The Wall



AV Access Solution



eShare W50/W80 Wireless Presentation Kit



All in one AnyCo V8 Video Bar



AnyCo M1 Mic




eShare D20 driver-free USB-C Dongle

Large&board Room

- ① BizEye80 Webcam
- ② AnyCo A6 Speakerphone
- ③ eShare W80 Hybrid Conference System
(Installed Under the Table)
- ④ eShare D20 USB-C Dongle

— HDMI — USB-A
 - - - Under The Table Or Behind The Wall



AV Access Solution



eShare W50/W80 Wireless Presentation Kit



BizEye80 4K Webcam



AnyCo A6 Daisy Chain Speakerphone



eShare D20 driver-free USB-C Dongle

eShare W80

New Hybrid Conference System with BYOD & Multiview



SPECIFICATION

| Technical | |
|-------------------------------|--|
| Input Video Port | 2 x HDMI In; 1 x LAN, 10/100/1000Mbps Ethernet; 1 x WLAN |
| Input Video Signal | <ul style="list-style-type: none">• HDMI: HDMI 1.4, HDCP 1.4• LAN/WLAN: H.264 |
| Input Resolutions | Up to 4K@30Hz 4:4:4 |
| Output Video Port | 2 x HDMI |
| Output Video Signal | HDMI 1.4, HDCP 1.4 |
| Output Resolutions | Up to 4K@30Hz 4:4:4 |
| Audio | |
| Input Audio Port | 2 x HDMI; 1 x LAN; 1 x WLAN |
| Input Audio Signal | RAW PCM 2.0, 16 bit, 32/44.1/48KHz sps |
| Output Audio Port | 1 x HDMI OUT (HDMI OUT 1), 1 x Analog Audio OUT |
| Output Audio Signal | RAW PCM 2.0, 16 bit, 48KHz sps |
| Wi-Fi | |
| Standard | IEEE 802.11 a/b/g/n/ac |
| Frequency | Dual bands, 2.4~2.4835GHz, 5.0~5.8GHz |
| Security | WEP, TKIP, AES, WPA, WPA2 |
| Control | |
| Control Connector | 1 x RJ45, 10/100/1000Mbps Ethernet |
| Control Method | LAN (Web UI) |
| General | |
| Operating Temperature | 0°C to + 45°C (32 to + 113 °F) |
| Storage Temperature | -20 to +70°C (-4 to + 158 °F) |
| Humidity | 10% to 90%, non-condensing |
| ESD Protection | Human-body Model:±8kV (Air-gap discharge)/±4kV (Contact discharge) |
| Power Supply | 12V 3A DC |
| Power Consumption | 26.5W (Max) |
| Device Dimensions (W x H x D) | 242.6mm x 29.1mm x 142mm / 9.55" x 1.14" x 5.59" |
| Product Weight | 0.80kg/1.76lbs |

eShare D20

USB-C Dongle for Wireless Casting



SPECIFICATION

| Technical | |
|--------------------------------|--|
| Max Resolution | 4K @ 30fps |
| Terminal Type | 1 x Type-C |
| Frequency | 5.2GHz, 5.8GHz and 2.4GHz |
| Wireless transmission protocol | IEEE 802.11 a/b/g/n, IEEE 802.11ac |
| Authentication protocol | WPA2-PSK or IEEE 802.1X |
| USB | |
| Operate System | Windows 7/10/11, Mac OS, Android |
| USB Port | USB Type-C Port |
| General | |
| Operating Temperature | 0°C to 40°C (32°F to 104°F) |
| Storage Temperature | -20°C to 70°C (-4°F to 158°F) |
| Humidity | 10% to 90%, non-condensing |
| ESD Protection | Human-body Model: ±8kV (Air-gap discharge)/ ±4kV (Contact discharge) |
| Input Voltage | 5V (Power over USB) |
| Power Consumption (Max) | 2.7W |
| Product size (φ x h x l) | 69mm x 15.34mm x 165.2mm/2.72" x 0.60" x 6.50" |
| Product Weight | 60g/0.13lb (net weight) |

Wireless Conference Comparison Chart

| |  |  |
|----------------------------------|---|---|
| Product | AV Access eShare W80 | Barco Clickshare CX-50 2nd Generation |
| List Retail Price | \$1617 (1pcs W80+2pcs D20 Dongle) | \$3450 (1pcs CX-50 Gen2 +2pcs Dongle) |
| Wireless Casting via Dongle | Plug and play, no software or driver required | Not plug-n-play, software required |
| Wireless Conferencing via Dongle | Plug and play, no software or driver required | Not plug-n-play, software required |
| Video Input Interface | 2x HDMI | 1x USB-C (only for audio/video transmission; USB signal is not supported) |
| Maximum Input Resolution | 4K | 4K |
| Video Output Interface | 2x HDMI | 1x HDMI, 1x USB-C(needs HDMI to USB-C convert to connect with Display) |
| Maximum Output Resolution | 4K | 4K |
| Multi-view | Up to 2 sources on the same screen | Up to 2 sources on the same screen |
| USB Interface | 3x USB Type-A 3.0 | 2x USB Type-A 3.0, 1x USB Type-C 3.0 |

